



Answer **four** questions. If you answer more than four questions, only your best four will be counted.

Throughout this paper, unless otherwise stated, all vector spaces are either over the field of real numbers, \mathbb{R} , or the field of complex numbers, \mathbb{C}

1 (i) Let c_0 be the vector space of sequences (a_n) in \mathbb{C} such that $a_n \rightarrow 0$ as $n \rightarrow \infty$, with pointwise addition and scalar multiplication. Prove that we have a norm on c_0 defined by the formula

$$\|(a_n)\| = \sup\{|a_n| \mid n \in \mathbb{N}\}.$$

(4 marks)

(ii) Say what is meant by the statement that a normed vector space is a Banach space. (2 marks)

(iii) Is the space c_0 a Banach space? Prove your answer. (8 marks)

(iv) Say what is meant by a closed subset of a Banach space. (2 marks)

(v) Let l^∞ be the Banach space of bounded sequences, (a_n) , in \mathbb{C} , with norm defined as in part (i). Which of the following are closed subsets of l^∞ ? Justify your answer.

(a) c_0 .

(b) The vector space c_{00} of all sequences (a_n) of complex numbers for which there exists N with $a_n = 0$ whenever $n \geq N$.

(c) For a given N , the vector space c_N of all sequences (a_n) of complex numbers such that $a_n = 0$ whenever $n \geq N$.

(9 marks)

- 2 (i) Let V and W be normed vector spaces. Let $T: V \rightarrow W$ be a linear map.
- (a) Define what is meant by the statement that T is a bounded linear map, and in this case define the norm of T . (2 marks)
- (b) Define what is meant by the statement that the map T is open. State the open mapping theorem. (3 marks)
- (c) Give an example of a surjective bounded linear map between normed vector spaces that is not open. Justify your answer. (4 marks)
- (ii) Let V be a normed vector space over the field \mathbb{R} .
- (a) Define the *dual space* V^* , and prove that it is a Banach space. (9 marks)
- (b) State the Hahn-Banach theorem. (2 marks)
- (c) Define a linear map $\tau: V \rightarrow (V^*)^*$ by the formula

$$\tau(v)(f) = f(v) \quad f \in V^*, v \in V.$$

Use the Hahn-Banach theorem to prove that $\|\tau(v)\| = \|v\|$ for all $v \in V$. (5 marks)

3 (i) State the Stone-Weierstrass theorem for a space of real-valued functions. (2 marks)

(ii) Let A be the set of linear combinations of the functions $f_n: [0, \pi] \rightarrow \mathbb{R}$ defined by the formula $f_n(x) = \cos(nx)$, where n is a non-negative integer. Use the Stone-Weierstrass theorem to prove that A is dense in $C[0, \pi]$. (4 marks)

(iii) Prove that any set which is dense in $C[0, \pi]$ under the supremum norm is also dense in $L^2[0, \pi]$. (4 marks)

(iv) Define $e_n \in L^2[0, \pi]$ by the formulae

$$e_0(x) = \frac{1}{\sqrt{\pi}} \quad e_n(x) = \sqrt{\frac{2}{\pi}} \cos(nx), \quad n \geq 1.$$

Prove that the set $\{e_0, e_1, e_2, \dots\}$ is an orthonormal basis for the space $L^2[0, \pi]$. (5 marks)

(v) Define a function $f: [0, \pi] \rightarrow \mathbb{R}$ by $f(x) = \sin x$. Find coefficients $\alpha_n \in \mathbb{R}$ such that

$$f = \sum_{n=0}^{\infty} \alpha_n e_n$$

and calculate the sum

$$\sum_{n=0}^{\infty} |\alpha_n|^2.$$

You may use any standard facts about series involving orthonormal bases of Hilbert spaces without proof.

(10 marks)

4 (i) (a) Let A be a complex unital Banach algebra, and $x \in A$. Define the *spectrum* of x . (2 marks)

(b) Let $x \in A$ satisfy the inequality $\|x\| < 1$. Prove that $1 - x$ is invertible. (6 marks)

(c) Let H be a complex Hilbert space. Define what is meant by a *unitary operator* on H , and prove that if U is unitary then

$$\text{Spectrum}(U) \subseteq \{z \in \mathbb{C} \mid |z| = 1\}.$$

(6 marks)

(ii) (a) Again, let A be a complex unital Banach algebra, and $x \in A$. Prove that we can define an element $\exp(x)$ by the formula

$$\exp(x) = \sum_{n=0}^{\infty} \frac{x^n}{n!}$$

and that for all $x, y \in A$ such that $xy = yx$ we have

$$\exp(x + y) = \exp(x)\exp(y).$$

(8 marks)

(b) Let H be a complex Hilbert space, and let $T: H \rightarrow H$ be a self-adjoint operator. Show that $\exp(iT)$ is unitary. (3 marks)

5 (i) Define what is meant by the statement that a linear map between normed vector spaces is a *compact operator*. (2 marks)

(ii) Let $K: V \rightarrow W$ be a linear map between normed vector spaces V and W . Prove that K is a compact operator if and only if for any bounded sequence (x_n) in V , the image (Kx_n) in W has a convergent subsequence. (4 marks)

(iii) Prove that any bounded linear map with finite-dimensional image is compact. (4 marks)

(iv) Let H be a Hilbert space, and $T: H \rightarrow H$ be a bounded linear operator. Let (x_n) be a bounded sequence in H such that the sequence (T^*Tx_n) converges. Prove that (Tx_n) is a Cauchy sequence. (7 marks)

(v) Let $K: H \rightarrow H$ be a bounded linear operator such that K^*K is compact. Prove that K is also compact. (5 marks)

(vi) Is the converse result to part (v) true? Justify your answer. (3 marks)

End of Question Paper